



FORM
HD PORCELAIN TILE



SAMMY'S
DESIGNER FLOORING

FORM HD PORCELAIN TILE



7" x 8" FORM SAND HD HEXAGON PORCELAIN TILE
4500-0742-0



7" x 8" FORM ICE HD HEXAGON PORCELAIN TILE
4500-0743-0



7" x 8" FORM TIDE HD HEXAGON PORCELAIN TILE
4500-0745-0



7" x 8" FORM IVORY HD HEXAGON PORCELAIN TILE
4500-0741-0



7" x 8" FORM GRAPHITE HD HEXAGON PORCELAIN TILE
4500-0744-0



7" x 8" FORM SAND HD HEXAGON FRAME
PORCELAIN TILE
4500-0747-0



7" x 8" FORM ICE HD HEXAGON FRAME
PORCELAIN TILE
4500-0748-0



7" x 8" FORM TIDE HD HEXAGON FRAME
PORCELAIN TILE
4500-0750-0



7" x 8" FORM IVORY HD IVORY HEXAGON
FRAME PORCELAIN TILE
4500-0746-0



7" x 8" FORM GRAPHITE HD HEXAGON FRAME
PORCELAIN TILE
4500-0749-0

FORM HD PORCELAIN TILE

PACKAGING INFORMATION

DESCRIPTION	LBS/BOX	PCS/BOX	SQFT/BOX	BOXES/SKID	SQFT/SKID
8" x 8" FORM HD PORCELAIN TILE	31.84	17	7.32	81	592.92
8" x 8" FORM HD CLOVER DECO PORCELAIN TILE	31.84	17	7.32	81	592.92
8" x 8" FORM HD BAROQUE DECO PORCELAIN TILE	31.84	17	7.32	81	592.92
8" x 8" FORM HD NORTHSTAR DECO PORCELAIN TILE	31.84	17	7.32	81	592.92
8" x 8" FORM HD COMPASS DECO PORCELAIN TILE	31.84	17	7.32	81	592.92
8" x 8" FORM HD ZENITH DECO PORCELAIN TILE	31.84	17	7.32	81	592.92
8" x 8" FORM HD DIAMOND DECO PORCELAIN TILE	31.84	17	7.32	81	592.92
8" x 8" FORM HD DECO BLEND PORCELAIN TILE	31.84	17	7.32	81	592.92
7" x 8" FORM HD HEXAGON PORCELAIN TILE	11.35	10	2.80	168	470.40
7" x 8" FORM HD HEXAGON FRAME PORCELAIN TILE	11.35	10	2.80	168	470.40
2" x 8" FORM HD PORCELAIN BULLNOSE	13.97	28	n/a	126	3528 pcs

DESCRIPTION	LBS/BOX	PCS/BOX	SQFT/BOX	BOXES/SKID	SQFT/SKID
8" x 8" FORM HD MONOCHROME LOTUS DECO PORCELAIN TILE	31.84	17	7.32	81	592.92
8" x 8" FORM HD MONOCHROME STELLAR DECO PORCELAIN TILE	31.84	17	7.32	81	592.92
8" x 8" FORM HD MONOCHROME GEO DECO PORCELAIN TILE	31.84	17	7.32	81	592.92

GENERAL SPECIFICATIONS

DESCRIPTION	METHOD	UNIT	8" x 8"	7" x 8" HEXAGON
THICKNESS		mm – in	9 mm – 11/32"	9 mm – 11/32"
WATER ABSORPTION	ASTM C-373 & EN ISO 10545-3	(%)	≤ 0.5	≤ 0.5
ABRASION RESISTANCE	ASTM C-1027 & EN ISO 10545-7	(PEI)	4	4
SCRATCH HARDNESS		(Mohs)	6	6
BREAKING STRENGTH	EN ISO 10545-4	(lbf)	≥ 310	≥ 310
STAIN RESISTANCE	ASTM C-1378		Class A	Class A
CHEMICAL RESISTANCE	EN ISO 10545-13	(GL)	Class A – Resistant	Class A – Resistant
FROST RESISTANCE	EN ISO 10545-12		Resistant	Resistant
DCOF (WET)	ANSI B101.3		≥ 0.55	≥ 0.55
SHADE VARIATION			V1 – V4	V1 – V4

* While the information has been presented with all due care, we do not warrant the information is free from errors or omission. Actual colors may vary depending on product.