




SOHO GLAZED CERAMIC AND PORCELAIN TILE



SOHO GLAZED CERAMIC AND PORCELAIN TILE




3/4" SOHO WHITE GLOSSY PENNY ROUND PORCELAIN
MOSAICS 51-030



1" x 3" SOHO WHITE GLOSSY MINI BRICK PORCELAIN
MOSAICS 51-060




SOHO WHITE GLOSSY ARABESQUE PORCELAIN MOSAICS
51-040



SOHO WHITE GLOSSY CONVEX LOFT PORCELAIN MOSAICS
51-050

SOHO GLAZED CERAMIC AND PORCELAIN TILE




3/4" SOHO WARM GREY GLOSSY PENNY ROUND PORCELAIN MOSAICS 51-032



1" x 3" SOHO WARM GREY GLOSSY MINI BRICK PORCELAIN MOSAICS 51-062



SOHO WARM GREY GLOSSY ARABESQUE PORCELAIN MOSAICS 51-042




SOHO WARM GREY GLOSSY CONVEX LOFT PORCELAIN MOSAICS 51-052



2" x 2" SOHO WARM GREY MATTE PORCELAIN MOSAICS 51-027




4" x 16" SOHO WARM GREY GLOSSY WALL TILE 50-603



4" x 8" SOHO WARM GREY GLOSSY BULLNOSE 50-610



3" x 6" SOHO WARM GREY GLOSSY WALL TILE 51-006



3" x 6" SOHO WARM GREY GLOSSY BULLNOSE 51-007

SOHO GLAZED CERAMIC AND PORCELAIN TILE

PACKAGING INFORMATION

DESCRIPTION	ITEM CODE						LBS/BOX	PCS/BOX	SQFT/BOX	BOXES/SKID	SQFT/SKID
	WHITE	BISCUIT	LINEN	WARM GREY	TAUPE	BLACK					
3" x 6" GLOSSY WALL TILE	51-000	51-002	51-004	51-006	51-008	51-010	25.96	88	11.00	85	935
3" x 6" MATTE WALL TILE	51-012	n/a	n/a	n/a	n/a	n/a	24.90	88	11.00	85	935
3" x 6" BEVELED WALL TILE	51-126	n/a	n/a	n/a	n/a	n/a	27.28	88	10.66	56	596.96
6" x 6" GLOSSY WALL TILE	51-500	n/a	n/a	n/a	n/a	n/a	25.87	44	10.76	115	1237.40
4" x 12" GLOSSY WALL TILE	50-614	n/a	n/a	n/a	n/a	n/a	27.54	30	9.69	30	581.40
4" x 12" BEVELED GLOSSY WALL TILE	50-615	n/a	n/a	n/a	n/a	n/a	27.54	30	9.69	72	697.68
4" x 16" GLOSSY WALL TILE	50-600	50-601	50-602	50-603	50-604	50-605	29.73	25	10.76	70	753.20
4" x 16" MATTE WALL TILE	50-606	n/a	n/a	n/a	n/a	n/a	29.85	25	10.76	70	753.20
8" x 16" GLOSSY WALL TILE	52-221	n/a	n/a	n/a	n/a	n/a	29.54	12	10.33	57	588.81
8" x 24" GLOSSY WALL TILE	52-222	n/a	n/a	n/a	n/a	n/a	49.02	12	15.50	20	588.00
3" x 6" MATTE BULLNOSE	51-013	n/a	n/a	n/a	n/a	n/a	12.67	44	n/a	175	7700 pcs.
3" x 6" GLOSSY BULLNOSE	51-001	51-003	51-005	51-007	51-009	51-011	12.58	44	n/a	175	7700 pcs.
4" x 8" GLOSSY BULLNOSE	50-607	50-608	50-609	50-610	50-611	50-617	12.32	20	n/a	154	3080 pcs.
4" x 8" MATTE BULLNOSE	50-613	n/a	n/a	n/a	n/a	n/a	12.28	20	n/a	154	3080 pcs.
2" x 2" MATTE PORC. MOSAICS	51-024	51-025	51-026	51-027	51-028	51-029	23.98	10	10.00	48	480
3/4" PENNY ROUND PORC. MOSAICS	51-030	51-031	n/a	51-032	n/a	n/a	19	10	10.00	90	900
1" x 3" MINI BRICK PORC. MOSAICS	51-060	51-061	n/a	51-062	n/a	n/a	19.74	10	9.00	90	810
2" x 2" MATTE wWHITE DOT PORC. MOSAICS	51-080	n/a	n/a	n/a	n/a	n/a	23.41	10	10.00	90	900
2" x 2" MATTE wBLACK DOT PORC. MOSAICS	51-081	n/a	n/a	n/a	n/a	n/a	23.24	10	10.00	90	900
1" MATTE HEXAGON PORC. MOSAICS	51-070	n/a	n/a	n/a	n/a	n/a	16.76	10	8.40	90	756
1" MATTE HEXAGON wBLACK PORC. MOSAICS	51-071	n/a	n/a	n/a	n/a	n/a	16.61	10	8.40	90	756
2" MATTE HEXAGON PORC. MOSAICS	51-075	n/a	n/a	n/a	n/a	n/a	21.72	10	10.00	90	900
2" MATTE HEXAGON wBLACK PORC. MOSAICS	51-076	n/a	n/a	n/a	n/a	n/a	22.61	10	10.00	90	900
4" MATTE OCTAGON wWHITE PORC. MOSAICS	51-095	n/a	n/a	n/a	n/a	n/a	23.14	10	10.00	81	810
4" MATTE OCTAGON wBLACK PORC. MOSAICS	51-096	n/a	n/a	n/a	n/a	n/a	23.14	10	10.00	81	810
GLOSSY ARABESQUE PORC. MOSAICS	51-040	51-041	n/a	51-042	n/a	n/a	19.66	10	8.00	81	648
GLOSSY CONVEX LOFT PORC. MOSAICS	51-050	51-051	n/a	51-052	n/a	n/a	23.25	10	9.00	72	648
MATTE PINWHEEL PORC. MOSAICS	51-085	n/a	n/a	n/a	n/a	n/a	21.01	10	10.00	90	900
MATTE BASKETWEAVE PORC. MOSAICS	51-090	n/a	n/a	n/a	n/a	n/a	20.83	10	10.00	90	900

GENERAL SPECIFICATIONS

DESCRIPTION	METHOD	UNIT	CERAMIC WALL TILE	GLOSSY POR. MOSAICS	MATTE POR. MOSAICS
THICKNESS		mm - in	7 mm - 9/32" / 8 mm - 5/16"	6.0 mm - 1/4"	6.0 mm - 1/4"
WATER ABSORPTION	ASTM C-373 / EN ISO 10545-3	(%)	≤ 10% ≤E ≤16	≤ 0.5	≤ 0.5
ABRASION RESISTANCE	ASTM C-1027 / EN ISO 10545-7	(PEI)	n/a	3	3
SCRATCH HARDNESS		(Mohs)	n/a	5	6
BREAKING STRENGTH	EN ISO 10545-4	(lbf)	≥ 230	≥ 250	≥ 250
STAIN RESISTANCE	ASTM C-1378		Class B	Class B	Class B
CHEMICAL RESISTANCE	EN ISO 10545-13	(GL)	Class B - Resistant	Class A - Resistant	Class A - Resistant
FROST RESISTANCE	EN ISO 10545-12		Non Resistant	Resistant	Resistant
STATIC COEFFICIENT OF FRICTION (WET)	ASTM C-1028		n/a	n/a	≥ 0.70
STATIC COEFFICIENT OF FRICTION (DRY)	ASTM C-1028		n/a	n/a	≥ 0.60
DCOF (WET)	ANSI B101.3		n/a	n/a	< 0.42
SHADE VARIATION			V1	V1	V1