OAK APPLEDALE KOOTENAY COLLECTION WIRE BRUSHED - 5" WIDE PLANK



CERTIFIED BY SCS Global Services

PRODUCT SPECIFICATIONS

Other Colours	Ainsworth, Balfour, Drysdale, Elko, Fernie, Grey Creek, Harrogate, Montrose, Rossland & Sparwood
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	1/2″
Plank Width	5″
Length	12" to 47"
Carton Size	26.47 sq. ft.
Top Layer	2mm Sliced Lamella
Core	Hardwood Plywood
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services

www.TimelessWoodFloors.ca

OAK BALFOUR KOOTENAY COLLECTION WIRE BRUSHED - 5" WIDE PLANK





CERTIFIED BY SCS Global Services

Other Colours	Appledale, Ainsworth, Drysdale, Elko, Fernie, Grey Creek, Har & Sparwood	rogate, Rossland
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2″	
Plank Width	5″	
Length	12" to 47"	
Carton Size	26.47 sq. ft.	
Top Layer	2mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	{]}
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	floor

www.TimelessWoodFloors.ca

OAK BRISCO KOOTENAY COLLECTION WIRE BRUSHED - 7-5/8" WIDE PLANK



CERTIFIED BY SCS Global Services

PRODUCT SPECIFICATIONS

Other Colours	Kindersley, Crawford Bay, Creston, Edgewater, Galena Bay, Kaslo, Kragmont, & Panorama
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	1/2″
Plank Width	7-5/8″
Length	18" to 72"
Carton Size	30.56 sq. ft.
Top Layer	2mm Sliced Lamella
Core	Hardwood Plywood
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services

www.TimelessWoodFloors.ca

OAK CRAWFORD BAY KOOTENAY COLLECTION WIRE BRUSHED - 7-5/8" WIDE PLANK



CERTIFIED BY SCS Global Services

PRODUCT SPECIFICATIONS

Other Colours	Kindersley, Brisco, Creston, Edgewater, Galena Bay, Kaslo, Kragmont, & Panorama
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	1/2″
Plank Width	7-5/8″
Length	18" to 72"
Carton Size	30.56 sq. ft.
Top Layer	2mm Sliced Lamella
Core	Hardwood Plywood
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services

www.TimelessWoodFloors.ca

OAK DRYSDALE KOOTENAY COLLECTION WIRE BRUSHED - 5" WIDE PLANK



CERTIFIED BY SCS Global Services

PRODUCT SPECIFICATIONS

Other Colours	Appledale, Ainsworth, Balfour, Elko, Fernie, Grey Creek, Harrogate, Montrose, Rossland & Sparwood	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2″	
Plank Width	5″	
Length	12" to 47"	
Carton Size	26.47 sq. ft.	
Top Layer	2mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

www.TimelessWoodFloors.ca

OAK EDGEWATER KOOTENAY COLLECTION WIRE BRUSHED - 7-5/8" WIDE PLANK



CERTIFIED BY SCS Global Services

PRODUCT SPECIFICATIONS

Other Colours	Kindersley, Brisco, Creston, Crawford Bay, Galena Bay, Kaslo, Kragmont, & Panorama
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	1/2″
Plank Width	7-5/8″
Length	18" to 72"
Carton Size	30.56 sq. ft.
Top Layer	2mm Sliced Lamella
Core	Hardwood Plywood
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services

www.TimelessWoodFloors.ca

OAK GALENA BAY KOOTENAY COLLECTION WIRE BRUSHED - 7-5/8" WIDE PLANK





CERTIFIED BY SCS Global Services

Other Colours	Kindersley, Brisco, Creston, Crawford Bay, Edgewater, Ka & Panorama	aslo, Kragmont,
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2″	
Plank Width	7-5/8″	
Length	18" to 72"	
Carton Size	30.56 sq. ft.	
Top Layer	2mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	<u> </u>
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	floor

www.TimelessWoodFloors.ca

OAK GREY CREEK KOOTENAY COLLECTION WIRE BRUSHED - 5" WIDE PLANK



CERTIFIED BY SCS Global Services

PRODUCT SPECIFICATIONS

Other Colours	Appledale, Ainsworth, Balfour, Drysdale, Elko, Fernie, Harrogate, Montrose, Rossland & Sparwood
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	1/2″
Plank Width	5″
Length	12" to 47"
Carton Size	26.47 sq. ft.
Top Layer	2mm Sliced Lamella
Core	Hardwood Plywood
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services

www.TimelessWoodFloors.ca

OAK HARROGATE KOOTENAY COLLECTION WIRE BRUSHED - 5" WIDE PLANK

PRODUCT SPECIFICATIONS



C CERTIFIED BY SCS Global Services

Other Colours	Ainsworth, Appledale, Balfour, Drysdale, Elko, Fernie, Gre Montrose, Rossland & Sparwood	ey Creek,
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2″	
Plank Width	5″	
Length	12" to 47"	
Carton Size	26.47 sq. ft.	
Top Layer	2mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	<u> </u>
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	floor
	www.TimelessWoodFloors.ca	THERE AND ADDRESS OF

www.TimelessWoodFloors.ca

OAK KASLO KOOTENAY COLLECTION WIRE BRUSHED - 7-5/8" WIDE PLANK



·····

CERTIFIED BY SCS Global Services

PRODUCT SPECIFICATIONS

Other Colours	Brisco, Crawford Bay, Creston, Edgewater, Galena Bay, Ki Kragmont & Panorama	indersley,
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2″	
Plank Width	7-5/8″	
Length	18" to 72"	
Carton Size	30.56 sq. ft.	
Top Layer	2mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	<u> </u>
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	floor

www.TimelessWoodFloors.ca

OAK KINDERSLEY KOOTENAY COLLECTION WIRE BRUSHED - 7-5/8" WIDE PLANK



CERTIFIED BY SCS Global Services

PRODUCT SPECIFICATIONS

Other Colours	Brisco, Crawford Bay, Creston, Edgewater, Galena Bay, Kaslo, Kragmont, & Panorama
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	1/2″
Plank Width	7-5/8″
Length	18" to 72"
Carton Size	30.56 sq. ft.
Top Layer	2mm Sliced Lamella
Core	Hardwood Plywood
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services

www.TimelessWoodFloors.ca

OAK KRAGMONT KOOTENAY COLLECTION WIRE BRUSHED - 7-5/8" WIDE PLANK





CERTIFIED BY SCS Global Services

Other Colours	Kindersley, Brisco, Creston, Crawford Bay, Edgewater, Galena Bay, Kaslo, & Panorama
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	1/2″
Plank Width	7-5/8″
Length	18" to 72"
Carton Size	30.56 sq. ft.
Top Layer	2mm Sliced Lamella
Core	Hardwood Plywood
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services

www.TimelessWoodFloors.ca

OAK MONTROSE KOOTENAY COLLECTION WIRE BRUSHED - 5" WIDE PLANK



CERTIFIED BY SCS Global Services

PRODUCT SPECIFICATIONS

Other Colours	Appledale, Ainsworth, Balfour, Drysdale, Grey Creek, Rossland	& Sparwood
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2″	
Plank Width	5″	
Length	12" to 47"	
Carton Size	26.47 sq. ft.	
Top Layer	2mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	<u> </u>
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	floor
	www.TimelessWoodFloors.ca	A REAL PROPERTY.

www.TimelessWoodFloors.ca

OAK ROSSLAND KOOTENAY COLLECTION WIRE BRUSHED - 5" WIDE PLANK



C CERTIFIED BY SCS Global Services

PRODUCT SPECIFICATIONS

Other Colours	Appledale, Ainsworth, Balfour, Drysdale, Grey Creek, Montrose & Sparwood
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	1/2″
Plank Width	5″
Length	12" to 47"
Carton Size	26.47 sq. ft.
Top Layer	2mm Sliced Lamella
Core	Hardwood Plywood
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services
	www.TimelessWoodFloors.ca

www.TimelessWoodFloors.ca

OAK SILVERTON KOOTENAY COLLECTION SAW CUT - 7-5/8" WIDE PLANK

PRODUCT SPECIFICATIONS




CERTIFIED BY SCS Global Services

Other Colours	Sandon, Slocan, Trail & Vallican
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Saw Cut
Edges	4 Side Micro Bevel
Thickness	1/2″
Plank Width	7-5/8″
Length	18" to 72"
Carton Size	30.56 sq. ft.
Top Layer	2mm Sliced Lamella
Core	Hardwood Plywood
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services

www.TimelessWoodFloors.ca

OAK SLOCAN KOOTENAY COLLECTION SAW CUT - 7-5/8" WIDE PLANK

PRODUCT SPECIFICATIONS



CERTIFIED BY SCS Global Services

Other Colours	Sandon, Silverton, Trail & Vallican	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Saw Cut	
Edges	4 Side Micro Bevel	
Thickness	1/2″	
Plank Width	7-5/8″	
Length	18" to 72"	
Carton Size	30.56 sq. ft.	
Top Layer	2mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	{ {}
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	floor

www.TimelessWoodFloors.ca

OAK TRAIL KOOTENAY COLLECTION SAW CUT - 7-5/8" WIDE PLANK

PRODUCT SPECIFICATIONS



CERTIFIED BY SCS Global Services

Other Colours	Sandon, Silverton, Slocan & Vallican
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Saw Cut
Edges	4 Side Micro Bevel
Thickness	1/2″
Plank Width	7-5/8″
Length	18" to 72"
Carton Size	30.56 sq. ft.
Top Layer	2mm Sliced Lamella
Core	Hardwood Plywood
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services

www.TimelessWoodFloors.ca

OAK SPARWOOD KOOTENAY COLLECTION WIRE BRUSHED - 5" WIDE PLANK





CERTIFIED BY SCS Global Services

Other Colours	Appledale, Ainsworth, Balfour, Drysdale, Grey Creek, Montrose & Rossland	1
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2″	
Plank Width	5″	
Length	12" to 47"	
Carton Size	26.47 sq. ft.	
Top Layer	2mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	
	www.TimelessWoodFloors.ca	R R R

www.TimelessWoodFloors.ca