

RIFT & QUARTERED WHITE OAK
EVEREST
ELEVATE COLLECTION
SMOOTH - 5" WIDE PLANK



Options	Rift & Quartered Natural White Oak Plank & Herringbone Rift & Quartered Everest White Oak Plank Rift and Quartered Natural Walnut Plank & Herringbone
Species	Rift And Quartered White Oak & Rift & Quartered Walnut
Finish	Ultra- Matte Aluminum Oxide
Grade	Select
Texture	Wire Brushed, other options in Elevate Collection are smooth.
Edges	4 Side Micro Bevel
Thickness	9/16"
Width	5" Plank / 3-1/8" Herringbone
Length	12" to 84" Plank / 15-5/8" Herringbone
Carton Size	17.5 sq. ft. Plank / 20.34 sq. ft. Herringbone
Top Layer	3.2 mm Thick
Construction	3 Ply engineered
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services







RIFT & QUARTERED WHITE OAK
NATURAL
ELEVATE COLLECTION
SMOOTH - 5" WIDE PLANK



Options	Rift & Quartered Natural White Oak Plank & Herringbone Rift & Quartered Everest White Oak Plank Rift and Quartered Natural Walnut Plank & Herringbone	
Species	Rift And Quartered White Oak & Rift & Quartered Walnut	
Finish	Ultra- Matte Aluminum Oxide	
Grade	Select	
Texture	Smooth except for Everest Plank which is Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	9/16"	
Width	5" Plank width / 3-1/8" Herringbone	
Length	12" to 84" Plank / 15-5/8" Herringbone	
Carton Size	17.5 sq. ft. Plank / 20.34 sq. ft. Herringbone	
Top Layer	3.2 mm Thick	
Construction	3 Ply engineered	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float approved for use over hydronic radiant heat systems	>>>
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	floor







RIFT & QUARTERED WHITE OAK
NATURAL - HERRINGBONE
ELEVATE COLLECTION
SMOOTH 3-1/8" WIDE



Options	Rift & Quartered Natural White Oak Plank & Herringbone Rift & Quartered Everest White Oak Plank Rift and Quartered Natural Walnut Plank & Herringbone
Species	Rift And Quartered White Oak & Rift & Quartered Walnut
Finish	Ultra- Matte Aluminum Oxide
Grade	Select
Texture	Smooth except for Everest Plank which is Wire Brushed
Edges	4 Side Micro Bevel
Thickness	9/16"
Width	5" Plank / 3-1/8" Herringbone
Length	12" to 84" Plank / 15-5/8" Herringbone
Carton Size	17.5 sq. ft. Plank / 20.34 sq. ft. Herringbone
Top Layer	3.2 mm Thick
Construction	3 Ply engineered
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services







RIFT & QUARTERED WALNUT
NATURAL HERRINGBONE
ELEVATE COLLECTION
SMOOTH - 3-1/8" WIDE



Options	Rift & Quartered Natural White Oak Plank & Herringbone Rift & Quartered Everest White Oak Plank Rift and Quartered Natural Walnut Plank & Herringbone
Species	Rift And Quartered White Oak & Rift & Quartered Walnut
Finish	Ultra- Matte Aluminum Oxide
Grade	Select
Texture	Smooth except for Everest Plank which is Wire Brushed
Edges	4 Side Micro Bevel
Thickness	9/16"
Width	5" Plank / 3-1/8" Herringbone
Length	12" to 84" Plank / 15-5/8" Herringbone
Carton Size	17.5 sq. ft. Plank / 20.34 sq. ft. Herringbone
Top Layer	3.2 mm Thick
Construction	3 Ply engineered
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services







RIFT & QUARTERED WALNUT
NATURAL
ELEVATE COLLECTION
SMOOTH - 5" WIDE PLANK



Options	Rift & Quartered Natural White Oak Plank & Herringbone Rift & Quartered Everest White Oak Plank Rift and Quartered Natural Walnut Plank & Herringbone
Species	Rift And Quartered White Oak & Rift & Quartered Walnut
Finish	Ultra- Matte Aluminum Oxide
Grade	Select
Texture	Smooth except for Everest Plank which is Wire Brushed
Edges	4 Side Micro Bevel
Thickness	9/16"
Width	5" Plank / 3-1/8" Herringbone
Length	12" to 84" Plank / 15-5/8" Herringbone
Carton Size	17.5 sq. ft. Plank / 20.34 sq. ft. Herringbone
Top Layer	3.2 mm Thick
Construction	3 Ply engineered
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



