

# TIMELESS WOOD FLOORS

## OAK DUNDARAVE PACIFIC COAST COLLECTION WIRE BRUSHED - 7-7/16" WIDE PLANK



### PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Kensington, Sandy Cove, Southlands, Rockridge, Jericho, Tribune Bay, Eagleridge & Shaughnessy - Also: Capilano Heights & Mackenzie Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	5/8"
Plank Width	7-7/16"
Length	24" to 72" - 80% of box is 72" pieces
Carton Size	30.27 sq. ft.
Top Layer	4mm Dry Sawn Lamella
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.

# TIMELESS WOOD FLOORS

## OAK EAGLERIDGE PACIFIC COAST COLLECTION WIRE BRUSHED - 7-7/16" WIDE PLANK



### PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Kensington, Sandy Cove, Southlands, Rockridge, Dundarave, Jericho, Tribune Bay & Shaughnessy - Also: Capilano Heights & Mackenzie Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	5/8"
Plank Width	7-7/16"
Length	24" to 72" - 80% of box is 72" pieces
Carton Size	30.27 sq. ft.
Top Layer	4mm Dry Sawn Lamella
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.

# TIMELESS WOOD FLOORS

## OAK JERICHO PACIFIC COAST COLLECTION WIRE BRUSHED - 7-7/16" WIDE PLANK



### PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Kensington, Sandy Cove, Southlands, Rockridge, Dundarave, Tribune Bay, Eagleridge & Shaughnessy - Also: Capilano Heights & Mackenzie Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	5/8"
Plank Width	7-7/16"
Length	24" to 72" - 80% of box is 72" pieces
Carton Size	30.27 sq. ft.
Top Layer	4mm Dry Sawn Lamella
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.

# TIMELESS WOOD FLOORS

## OAK KENSINGTON PACIFIC COAST COLLECTION WIRE BRUSHED - 7-7/16" WIDE PLANK



### PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Sandy Cove, Southlands, Rockridge, Dundarave, Jericho, Tribune Bay, Eagleridge & Shaughnessy - Also: Capilano Heights & Mackenzie Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	5/8"
Plank Width	7-7/16"
Length	24" to 72" - 80% of box is 72" pieces
Carton Size	30.27 sq. ft.
Top Layer	4mm Dry Sawn Lamella
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.

# TIMELESS WOOD FLOORS

OAK LOCHSIDE  
PACIFIC COAST COLLECTION  
FUMED SURFACE -WIRE BRUSHED  
7-7/16" WIDE PLANK



## PRODUCT SPECIFICATIONS

Other Colours	Kensington, Sandy Cove, Southlands, Rockridge, Dundarave, Jericho, Tribune Bay, Eagleridge & Shaughnessy - Also: Capilano Heights & Mackenzie Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	5/8"
Plank Width	7-7/16"
Length	24" to 72" - 80% of box is 72" pieces
Carton Size	30.27 sq. ft.
Top Layer	4mm Dry Sawn Lamella - Fumed
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.

# TIMELESS WOOD FLOORS

## SMOOTH NATURAL OAK PACIFIC COAST COLLECTION 5.8" WIDE PLANK



### PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Kensington, Sandy Cove, Southlands, Rockridge, Dundarave, Jericho, Shaughnessy, Tribune Bay & Eagleridge - Also: Capilano Heights (Select Grade) & Mackenzie Heights (Select Grade)
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Smooth
Edges	4 Side Micro Bevel
Thickness	5/8"
Plank Width	5.8"
Length	24" to 72" - 80% of box is 72" pieces
Carton Size	23.70 sq. ft.
Top Layer	4mm Dry Sawn Lamella
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)



All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.

# TIMELESS WOOD FLOORS

## OAK ROCKRIDGE PACIFIC COAST COLLECTION WIRE BRUSHED - 7-7/16" WIDE PLANK



### PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Kensington, Sandy Cove, Southlands, Dundarave, Jericho, Tribune Bay, Eagleridge & Shaughnessy - Also: Capilano Heights & Mackenzie Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	5/8"	
Plank Width	7-7/16"	
Length	24" to 72" - 80% of box is 72" pieces	
Carton Size	30.27 sq. ft.	
Top Layer	4mm Dry Sawn Lamella	
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.

# TIMELESS WOOD FLOORS

OAK SANDY COVE  
PACIFIC COAST COLLECTION  
WIRE BRUSHED - 7-7/16" WIDE PLANK



## PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Kensington, Southlands, Rockridge, Dundarave, Jericho, Tribune Bay, Eagleridge & Shaughnessy - Also: Capilano Heights & Mackenzie Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	5/8"
Plank Width	7-7/16"
Length	24" to 72" - 80% of box is 72" pieces
Carton Size	30.27 sq. ft.
Top Layer	4mm Dry Sawn Lamella
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.



# TIMELESS WOOD FLOORS

OAK CAPILANO HEIGHTS  
PACIFIC COAST COLLECTION  
WIRE BRUSHED - 7-7/16" WIDE PLANK



## PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Kensington, Sandy Cove, Shaughnessy, Southlands, Rockridge, Dundarave, Jericho, Tribune Bay & Eagleridge - Also: Mackenzie Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Select / Minimal Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	5/8"
Plank Width	7-7/16"
Length	24" to 72" - 80% of box is 72" pieces
Carton Size	30.27 sq. ft.
Top Layer	4mm Dry Sawn Lamella
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.

# TIMELESS WOOD FLOORS

## OAK MACKENZIE HEIGHTS PACIFIC COAST COLLECTION WIRE BRUSHED - 7-7/16" WIDE PLANK



### PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Kensington, Sandy Cove, Southlands, Shaughnessy, Rockridge, Dundarave, Jericho, Tribune Bay & Eagleridge - Also: Capilano Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Select / Minimal Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	5/8"
Plank Width	7-7/16"
Length	24" to 72" - 80% of box is 72" pieces
Carton Size	30.93 sq. ft.
Top Layer	4mm Dry Sawn Lamella
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.

# TIMELESS WOOD FLOORS

## OAK SHAUGHNESSY PACIFIC COAST COLLECTION WIRE BRUSHED - 7-7/16" WIDE PLANK



### PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Kensington, Sandy Cove, Southlands, Rockridge, Dundarave, Jericho, Tribune Bay & Eagleridge - Also: Capilano Heights & Mackenzie Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	5/8"
Plank Width	7-7/16"
Length	24" to 72" - 80% of box is 72" pieces
Carton Size	30.27 sq. ft.
Top Layer	4mm Dry Sawn Lamella
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)



All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.

# TIMELESS WOOD FLOORS

## OAK SOUTHLANDS PACIFIC COAST COLLECTION WIRE BRUSHED - 7-7/16" WIDE PLANK



### PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Kensington, Sandy Cove, Rockridge, Dundarave, Jericho, Tribune Bay, Eagleridge & Shaughnessy - Also: Capilano Heights & Mackenzie Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	5/8"	
Plank Width	7-7/16"	
Length	24" to 72" - 80% of box is 72" pieces	
Carton Size	30.27 sq. ft.	
Top Layer	4mm Dry Sawn Lamella	
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.

# TIMELESS WOOD FLOORS

## OAK TRIBUNE BAY PACIFIC COAST COLLECTION WIRE BRUSHED - 7-7/16" WIDE PLANK



### PRODUCT SPECIFICATIONS

Other Colours	Lochside (fumed), Kensington, Sandy Cove, Southlands, Rockridge, Dundarave, Jericho, Eagleridge & Shaughnessy - Also: Capilano Heights & Mackenzie Heights (Select Grade) & 5.8" Wide Natural Oak (Smooth Surface)
Species	European White Oak
Finish	Matte Aluminum Oxide
Grade	Character / Filled Knots
Texture	Wire Brushed
Edges	4 Side Micro Bevel
Thickness	5/8"
Plank Width	7-7/16"
Length	24" to 72" - 80% of box is 72" pieces
Carton Size	30.27 sq. ft.
Top Layer	4mm Dry Sawn Lamella
Core	Poplar fillet Core and Poplar Balancing Layer, 3 ply construction
Profiling	Tongue and Grooved on Four Sides
Warranties	Lifetime Structural and 25 Year Residential Finish
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems
Mouldings	Nosing, Reducer, T-Mould & Vents
Certification	FloorScore Certified by SCS Global Services



[www.TimelessWoodFloors.ca](http://www.TimelessWoodFloors.ca)

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations in reproduction and display on individual devices.