


TIMELESS WOOD FLOORS

OAK ANNAPOLIS SCOTIA ELITE COLLECTION WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Brookfield, Dundee, Louisbourg, Mahone Bay, Mill Cove, Oxford, Queensland & Tusket Elite Grade (Contains minimal knots)- Annapolis, Barrington & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Select / Minimal Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.




TIMELESS WOOD FLOORS

OAK BARRINGTON
SCOTIA ELITE COLLECTION
WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Brookfield, Dundee, Louisbourg, Mahone Bay, Mill Cove, Oxford, Queensland & Tusket Elite Grade (Contains minimal knots)- Annapolis & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Select / Minimal Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.




TIMELESS WOOD FLOORS

OAK BRIDGEWATER SCOTIA COLLECTION WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Brookfield, Dundee, Louisbourg, Mahone Bay, Mill Cove, Oxford, Queensland, Tusket, Wedgeport Elite Grade (Contains minimal knots)- Annapolis, Barrington & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.




TIMELESS WOOD FLOORS

OAK BROOKFIELD SCOTIA COLLECTION WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Dundee, Louisbourg, Mahone Bay, Mill Cove, Oxford, Queensland, Tusket, Wedgeport Elite Grade (Contains minimal knots)- Annapolis, Barrington & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.




TIMELESS WOOD FLOORS

OAK CALEDONIA SCOTIA ELITE COLLECTION WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Brookfield, Dundee, Louisbourg, Mahone Bay, Mill Cove, Oxford, Queensland & Tusket Elite Grade (Contains minimal knots)- Annapolis & Barrington	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Select / Minimal Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.




TIMELESS WOOD FLOORS

OAK DUNDEE
SCOTIA COLLECTION
WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Brookfield, Louisbourg, Mahone Bay, Mill Cove, Oxford, Queensland, Tusket, Wedgeport Elite Grade (Contains minimal knots)- Annapolis, Barrington & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots or Elite (Minimal Knots)	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.



TIMELESS WOOD FLOORS

OAK LOUISBOURG
SCOTIA COLLECTION
WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Brookfield, Dundee, Mahone Bay, Mill Cove, Oxford, Queensland, Tusket, Wedgeport Elite Grade (Contains minimal knots)- Annapolis, Barrington & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	



www.TimelessWoodFloors.ca



CERTIFIED BY
SCS Global Services


All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.

TIMELESS WOOD FLOORS

OAK MAHONE BAY
SCOTIA COLLECTION
WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Brookfield, Dundee, Louisbourg, Mill Cove, Oxford, Queensland, Tusket, Wedgeport Elite Grade (Contains minimal knots)- Annapolis, Barrington & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.




TIMELESS WOOD FLOORS

OAK MILL COVE
SCOTIA COLLECTION
WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Brookfield, Dundee, Louisbourg, Mahone Bay, Oxford, Queensland, Tusket, Wedgeport Elite Grade (Contains minimal knots)- Annapolis, Barrington & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	


www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.




TIMELESS WOOD FLOORS

OAK OXFORD
SCOTIA COLLECTION
WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Brookfield, Dundee, Louisbourg, Mahone Bay, Mill Cove, Queensland, Tusket, Wedgeport Elite Grade (Contains minimal knots)- Annapolis, Barrington & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.




TIMELESS WOOD FLOORS

OAK QUEENSLAND
SCOTIA COLLECTION
WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Brookfield, Dundee, Louisbourg, Mahone Bay, Mill Cove, Oxford, Tusket, Wedgeport Elite Grade (Contains minimal knots)- Annapolis, Barrington & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.




TIMELESS WOOD FLOORS

OAK TUSKET SCOTIA COLLECTION WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Brookfield, Dundee, Louisbourg, Mahone Bay, Mill Cove, Oxford, Queensland, Wedgeport Elite Grade (Contains minimal knots)- Annapolis, Barrington & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	


www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.




TIMELESS WOOD FLOORS

OAK WEDGEPORT SCOTIA COLLECTION WIRE BRUSHED - 6-1/2" WIDE PLANK



PRODUCT SPECIFICATIONS

Other Colours	Character Grade -Bridgewater, Brookfield, Dundee, Louisbourg, Mahone Bay, Mill Cove, Oxford, Queensland & Tusket Elite Grade (Contains minimal knots)- Annapolis, Barrington & Caledonia	
Species	European White Oak	
Finish	Matte Aluminum Oxide	
Grade	Character / Filled Knots	
Texture	Wire Brushed	
Edges	4 Side Micro Bevel	
Thickness	1/2" (12 mm)	
Plank Width	6-1/2" (165 mm)	
Length	24" to 72"	
Carton Size	32.32 sq. ft.	
Top Layer	1.2 mm Sliced Lamella	
Core	Hardwood Plywood	
Profiling	Tongue and Grooved on Four Sides	
Warranties	Lifetime Structural and 25 Year Residential Finish	
Installation Methods	Glue Down, Nail & Glue or Float Approved for use over hydronic radiant heat systems	
Mouldings	Nosing, Reducer, T-Mould & Vents	
Certification	FloorScore Certified by SCS Global Services	

www.TimelessWoodFloors.ca

All measurements nominal, materials subject to normal variations inherent in natural wood products. Images subject to limitations of reproduction and display on individual devices.

