




# KEYNOTE



Pearl

## SIZES & SURFACES



120x278\*\*  
47,24"x109,45"



120x120  
47,24"x47,24"



60x120  
23,62"x47,24"



20x120  
7,87"x47,24"



80x80  
31,50"x31,50"



40x80  
15,75"x31,50"

### 6,5 mm

Natural\_Rettificato  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

120x278 . 47,24"x109,45"  
**KEY019**

120x120 . 47,24"x47,24"  
**KEY007**

### 10 mm

Natural\_Rettificato  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

60x120 . 23,62"x47,24"  
**KEY025**

20x120 . 7,87"x47,24"  
**KEY031**

80x80 . 31,50"x31,50"  
**KEY037**

40x80 . 15,75"x31,50"  
**KEY049**

Natural\_Rettificato  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

### Outdoor

80x80 . 31,50"x31,50"  
**KEY043**

### 6,5 mm

5x30 . 1,97"x11,81"  
listello

**KEY097**


### 10 mm

5x30 . 1,97"x11,81"  
listello


**KEY103**



6,5 mm  
8x120 . 3,15"x47,24"  
battiscopa  
**KEY055**



6,5 mm  
33x120x5 . 12,99"x47,24"x1,97"  
gradino lineare LL  
**KEY061**



6,5 mm  
33x120x5 . 12,99"x47,24"x1,97"  
gradino angolare LL  
**KEY067**




10 mm  
8x80 . 3,15"x31,50"  
battiscopa  
**KEY073**



10 mm  
40x80x5 . 15,75"x31,50"x1,97"  
gradino lineare M  
**KEY079**




10 mm  
40x80x5 . 15,75"x31,50"x1,97"  
gradino angolare M  
**KEY085**



Amber

## SIZES & SURFACES



120x278\*\*  
47,24"x109,45"



120x120  
47,24"x47,24"



60x120  
23,62"x47,24"



20x120  
7,87"x47,24"



80x80  
31,50"x31,50"



40x80  
15,75"x31,50"

### 6,5 mm

Natural\_Rettificato  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

120x278 . 47,24"x109,45"  
**KEY020**

120x120 . 47,24"x47,24"  
**KEY008**

### 10 mm

Natural\_Rettificato  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

60x120 . 23,62"x47,24"  
**KEY026**

20x120 . 7,87"x47,24"  
**KEY032**

80x80 . 31,50"x31,50"  
**KEY038**

40x80 . 15,75"x31,50"  
**KEY050**

Natural\_Rettificato  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

### Outdoor

80x80 . 31,50"x31,50"  
**KEY044**

### 6,5 mm

5x30 . 1,97"x11,81"  
listello

**KEY098**


### 10 mm

5x30 . 1,97"x11,81"  
listello


**KEY104**



6,5 mm  
8x120 . 3,15"x47,24"  
battiscopa  
**KEY056**



6,5 mm  
33x120x5 . 12,99"x47,24"x1,97"  
gradino lineare LL  
**KEY062**



6,5 mm  
33x120x5 . 12,99"x47,24"x1,97"  
gradino angolare LL  
**KEY068**



10 mm  
8x80 . 3,15"x31,50"  
battiscopa  
**KEY074**




10 mm  
40x80x5 . 15,75"x31,50"x1,97"  
gradino lineare M  
**KEY080**




10 mm  
40x80x5 . 15,75"x31,50"x1,97"  
gradino angolare M  
**KEY086**

# KEYNOTE



Cool Grey

## SIZES & SURFACES



120x278\*\*  
47,24"x109,45"



120x120  
47,24"x47,24"



60x120  
23,62"x47,24"



20x120  
7,87"x47,24"



80x80  
31,50"x31,50"



40x80  
15,75"x31,50"

### 6,5 mm

**Natural\_Rettificato**  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

120x278 . 47,24"x109,45"  
**KEY023**

120x120 . 47,24"x47,24"  
**KEY011**

### 10 mm

**Natural\_Rettificato**  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

60x120 . 23,62"x47,24"  
**KEY029**

20x120 . 7,87"x47,24"  
**KEY035**

80x80 . 31,50"x31,50"  
**KEY041**

40x80 . 15,75"x31,50"  
**KEY053**

**Natural\_Rettificato**  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

### Outdoor

80x80 . 31,50"x31,50"  
**KEY047**



**6,5 mm**  
5x30 . 1,97"x11,81"  
listello

**KEY101**

**10 mm**  
5x30 . 1,97"x11,81"  
listello

**KEY107**




**6,5 mm**  
8x120 . 3,15"x47,24"  
battiscopa

**KEY059**

**10 mm**  
8x80 . 3,15"x31,50"  
battiscopa

**KEY077**




**6,5 mm**  
33x120x5 . 12,99"x47,24"x1,97"  
gradino lineare LL

**KEY065**

**10 mm**  
40x80x5 . 15,75"x31,50"x1,97"  
gradino lineare M

**KEY083**



**6,5 mm**  
33x120x5 . 12,99"x47,24"x1,97"  
gradino angolare LL

**KEY071**

**10 mm**  
40x80x5 . 15,75"x31,50"x1,97"  
gradino angolare M

**KEY089**



Arctic

## SIZES & SURFACES



120x278\*\*  
47,24"x109,45"



120x120  
47,24"x47,24"



60x120  
23,62"x47,24"



20x120  
7,87"x47,24"



80x80  
31,50"x31,50"



40x80  
15,75"x31,50"

### 6,5 mm

**Natural\_Rettificato**  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

120x278 . 47,24"x109,45"  
**KEY022**

120x120 . 47,24"x47,24"  
**KEY010**

### 10 mm

**Natural\_Rettificato**  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

60x120 . 23,62"x47,24"  
**KEY028**

20x120 . 7,87"x47,24"  
**KEY034**

80x80 . 31,50"x31,50"  
**KEY040**

40x80 . 15,75"x31,50"  
**KEY052**

**Natural\_Rettificato**  
Natural\_Rectified  
Naturel\_Rectifié  
Natural\_Rektifiziert  
Натуральный\_Ректифицированный

### Outdoor

80x80 . 31,50"x31,50"  
**KEY046**



**6,5 mm**  
5x30 . 1,97"x11,81"  
listello

**KEY100**

**10 mm**  
5x30 . 1,97"x11,81"  
listello

**KEY106**




**6,5 mm**  
8x120 . 3,15"x47,24"  
battiscopa

**KEY058**

**10 mm**  
8x80 . 3,15"x31,50"  
battiscopa

**KEY076**




**6,5 mm**  
33x120x5 . 12,99"x47,24"x1,97"  
gradino lineare LL

**KEY064**

**10 mm**  
40x80x5 . 15,75"x31,50"x1,97"  
gradino lineare M

**KEY082**



**6,5 mm**  
33x120x5 . 12,99"x47,24"x1,97"  
gradino angolare LL

**KEY070**

**10 mm**  
40x80x5 . 15,75"x31,50"x1,97"  
gradino angolare M








**KEY088**







# CARATTERISTICHE TECNICHE



Technical characteristics | Caracteristiques technique | Technische eigenschaften | Технические характеристики

**Lastre / piastrelle di ceramica in gres porcellanato** | Porcelain stoneware slabs / tiles | Dalles / carreaux en céramique en grès céram | Keramikplatten / keramikfliesen aus Feinsteinzeug | Керамические пластины / Керамическая плитка из керамогранита

	Metodo di prova Test method Méthode d'essai Prüfmethode Метод испытания	Requisiti prescritti Required value Valeur requise Vorgeschriebener Wert Требуемые значения	Risultato Results Résultat Ergebnis Результат		Valutazione Valuation Évaluation Bewertung Оценка
			< 120 cm	≥ 120 cm	
 <b>Lunghezza e larghezza</b>   Length and width   Longueur et largeur   Länge und Breite   Длина и ширина		± 0,6% ± 2 mm	± 0,5 mm ± 0,6%	± 0,9 mm ± 0,6%	Conforme   Compliant   Conforme   Konform   Соответствует
<b>Spessore</b>   Thickness   Épaisseur   Stärke   Толщина		± 5% ± 0,5 mm	± 5% ± 0,5 mm	± 3% ± 0,5 mm	Conforme   Compliant   Conforme   Konform   Соответствует
<b>Rettilineità degli spigoli</b>   Edge straightness   Rectitude des arêtes   Rechtlinigkeit der Kanten   Прямолинейность кромок		± 0,5% ± 2 mm	± 0,5% ± 2 mm	± 0,6% ± 2 mm	Conforme   Compliant   Conforme   Konform   Соответствует
<b>Ortogonalità</b>   Rectangularity   Orthogonalité   Rechtwinkligkeit   Ортогональность	UNI EN ISO 10545-2	± 0,6% ± 2 mm	± 1 mm ± 0,5 %	± 2 mm ± 0,5 %	Conforme   Compliant   Conforme   Konform   Соответствует
<b>Planarità</b>   Planarity   Planéité   Rechtwinkligkeit   Плоскостность		± 0,5% ± 2 mm	± 0,5 % ± 2 mm	± 0,5 % ± 2 mm	Conforme   Compliant   Conforme   Konform   Соответствует
<b>Qualità della superficie</b>   Surface quality   Qualité de la surface   Oberflächenqualität   Качество поверхности		≥ 95%	Conforme   Compliant   Conforme   Konform   Соответствует	Conforme   Compliant   Conforme   Konform   Соответствует	Conforme   Compliant   Conforme   Konform   Соответствует
 <b>Assorbimento d'acqua</b>   Water Absorption   Absorption d'eau   Wasseraufnahme   Водопоглощение	UNI EN ISO 10545-3	≤ 0,5%	≤ 0,1%		Conforme   Compliant   Conforme   Konform   Соответствует
 <b>Resistenza alla flessione</b>   Bending strength   Resistance a la flexion   Biegezugfestigkeit   Стойкость к изгибу	UNI EN ISO 10545-4	<b>Modulo di rottura</b> Modulus of rupture Module de rupture Bruchlast Предел прочности при изгибе ≥ 35 N/mm <sup>2</sup>  <b>Sforzo di rottura</b> Breaking strength Effort de rupture Bruchkraft Разрушающее усилие > 1300 N/mm <sup>2</sup>	6,5 mm ≥ 50 N/mm <sup>2</sup> 10 mm ≥ 45 N/mm <sup>2</sup>		Conforme   Compliant   Conforme   Konform   Соответствует
 <b>Resistenza al gelo</b>   Frost resistance   Résistance au gel   Frostbeständigkeit   Морозостойкости	UNI EN ISO 10545-12	<b>Resistente</b>   Resistant   Résistant   Widerstandsfähig   Стойкий	<b>Ingelivo</b>   Frost proof   Ingelif   Frostsicher   Морозостойкость		Conforme   Compliant   Conforme   Konform   Соответствует
 <b>Resistenza agli sbalzi termici</b>   Resistance to thermal shock   Résistance aux écarts de température   Temperaturwechselbeständigkeit   Стойкость к тепловым перепадам	UNI EN ISO 10545-9	<b>Resistente</b>   Resistant   Résistant   Widerstandsfähig   Стойкий	<b>Resistente</b>   Resistant   Résistant   Widerstandsfähig   Стойкий		Conforme   Compliant   Conforme   Konform   Соответствует
 <b>Resistenza all'abrasione profonda</b>   Deep abrasion resistance   Résistance à l'abrasion profonde   Tiefenverschleißbeständigkeit   Сопротивление глубокому истиранию	UNI EN ISO 10545-6	≤ 175 mm <sup>3</sup>	6,5 mm ≤ 130 mm <sup>3</sup> 10 mm ≤ 145 mm <sup>3</sup>		Conforme   Compliant   Conforme   Konform   Соответствует
 <b>Resistenza dei colori alla luce</b>   Colour resistance to light exposure   Résistance des couleurs à la lumière   Farbechtheit unter Lichteinfluss   Светостойкость цветов	DIN 51094	<b>Resistente</b>   Resistant   Résistant   Widerstandsfähig   Стойкий	<b>Resistente</b>   Resistant   Résistant   Widerstandsfähig   Стойкий		Conforme   Compliant   Conforme   Konform   Соответствует

	Metodo di prova Test method Méthode d'essai Prüfmethode Метод испытания	Requisiti prescritti Required value Valeur requise Vorgeschriebener Wert Требуемые значения	Risultato Results Résultat Ergebnis Результат		Valutazione Valuation Évaluation Bewertung Оценка
			< 120 cm	≥ 120 cm	
 <b>Resistenza allo scivolamento</b>   Skid resistance   Résistance au glissement   Rutschhemmung   Сопротивление проскальзыванию	DIN 51130	<b>Da R9 a R13</b> From R9 to R13 De R9 à R13 Von R9 bis R13 От R9 до R13	<b>R 10</b> Natural <b>R 11</b> Outdoor		Conforme   Compliant   Conforme   Konform   Соответствует
<b>Resistenza allo scivolamento_D-COF</b>   Skid resistance_D-COF   Résistance au glissement_D-COF   Rutschhemmung_D-COF   Сопротивление проскальзыванию_DCOF	ANSI A 137.1:2012	> 0,42 wet	> 0,42 wet		Conforme   Compliant   Conforme   Konform   Соответствует
	BCRA	> 0,40 dry leather > 0,40 wet rubber	> 0,40 dry > 0,40 wet		Conforme   Compliant   Conforme   Konform   Соответствует
 <b>Resistenza allo scivolamento_PENDULUM</b>   Skid resistance_PENDULUM   Résistance au glissement_PENDULUM   Rutschhemmung_PENDULUM   Сопротивление проскальзыванию_PENDULUM	BS 7976-2	<b>on request ≥ 36</b>	<b>dry rubber 4S: ≥ 36</b> <b>wet rubber 4S: ≥ 36</b>		Conforme   Compliant   Conforme   Konform   Соответствует
	AS 4586	<b>on request P3</b>	<b>P3</b>		Conforme   Compliant   Conforme   Konform   Соответствует
	ENV 12633	<b>on request Class 2</b>	<b>Class 2</b>		Conforme   Compliant   Conforme   Konform   Соответствует
 <b>Resistenza allo scivolamento</b>   Skid resistance   Résistance au glissement   Rutschhemmung   Сопротивление проскальзыванию	DIN 51097	<b>Da A a C</b> From A to C De A à C Von A bis C От A до C	<b>A + B</b> Natural <b>A + B + C</b> Outdoor		Conforme   Compliant   Conforme   Konform   Соответствует
 <b>Resistenza all'attacco chimico</b>   Chemical resistance   Resistance a l'attaque chimique   Beständigkeit gegen chemikalien   Химическая стойкость	UNI EN ISO 10545-13	<b>Valori dichiarati</b>   Declared values   Valeurs déclarées   Erklärte Werte   Заявленные значения  <b>Detergenti ad uso domestico e additivi per uso piscina</b>   Household detergents and additives for swimming pools   Détergents à usage domestique et additifs pour piscines   Hausreinigungsmittel und Zusatzstoffe für Schwimmbäder   Бытовые моющие средства и добавки для бассейнов	<b>A</b>		Conforme   Compliant   Conforme   Konform   Соответствует
<b>Resistenza all'attacco chimico</b>   Chemical resistance   Resistance a l'attaque chimique   Beständigkeit gegen chemikalien   Химическая стойкость	UNI EN ISO 10545-13	<b>Acidi e basi ad alta e bassa concentrazione</b>   High- and low-concentration acids and bases   Acides et bases à haute et basse concentration   Säuren und Basen mit hoher und niedriger Konzentration   Кислоты и щелочи высокой и низкой концентрации	<b>Valori dichiarati</b>   Declared values   Valeurs déclarées   Erklärte Werte   Заявленные значения  <b>B minimo</b>   B minimum   B minimum   Mind. B   Минимальный B	<b>A; LA; HA</b>	Conforme   Compliant   Conforme   Konform   Соответствует
 <b>Resistenza alle macchie</b>   Stain resistance   Resistance aux taches   Fleckenbeständigkeit   Стойкость к образованию пятен	UNI EN ISO 10545-14	<b>Valori dichiarati</b>   Declared values   Valeurs déclarées   Erklärte Werte   Заявленные значения	<b>Valori dichiarati</b>   Declared values   Valeurs déclarées   Erklärte Werte   Заявленные значения		Conforme   Compliant   Conforme   Konform   Соответствует
 <b>Resistenza al fuoco</b>   Fire reaction   Résistance au feu   Feuerfestigkeit   Огнестойкость	EN 13501 (rev. 2005)	<b>Resistente</b>   Resistant   Résistant   Widerstandsfähig   Стойкий	<b>Resistente</b>   Resistant   Résistant   Widerstandsfähig   Стойкий		Conforme   Compliant   Conforme   Konform   Соответствует